PRODUCT SPECIFICATIONS TS-VS: 2x14 Bamboo Shower Wall Panel System

STANDARD FEATURES

- Textured vertical block pattern
- Solid one-piece groutless panels
- Permanently sealed surface
- Extremely sanitary
- Will not mold or mildew
- Oversized measure, cut and fit on jobsite
- Easy to install
- Easy to maintain
- Manufactured in the U.S.A.

TECHNICAL SPECIFICATIONS

| MODEL | 2 x 14 Bamboo |
|--------------|--------------------------|
| PATTERN | Textured block pattern |
| MATERIAL | Cast Marble |
| PANEL WIDTHS | 10" 32" 36" 62" |
| HEIGHT | Up to 97" |
| THICKNESS | 1/4" |
| FINISH | Textured Matte |
| CSI NUMBER | 06 61 13 |

| COLORS | |
|------------|------|
| ALMOND | 7800 |
| BONE | 7670 |
| CREAM | 7400 |
| IVORY | 7300 |
| WHITE | 2250 |
| LIGHT GRAY | 7256 |
| PUTTY | 7000 |

SPECIAL NOTES

• Material: MINCOR™ - Class A fire rated per ASTM e84: Fire and smoke rated material available.

APPLICATIONS

- Tub and Shower Surrounds
- Hospitality | Multifamily | Senior Living | Student Housing | Military Housing

ITEM NUMBER

• TS-VS-2x14-Bamboo



| | | | 15.1.222.01 | | | | | La Reinstein and Station | | | |
|--|--|--|--|--|--------------------|--|--|---------------------------------------|--|--|---|
| | | | | | | | | | | | |
| | 12-27-24-24 | | and the second second | | | | | Scottered. | | | 110-104 |
| | | Summer State | | | | | distance across | | Approximation of the | | 1585 |
| | Street States | | | | | | | 1000 | | | 1222 |
| | | PRODUCTION OF | | | | | Distances | Sept. | | | 1555 |
| 1000 | 100 - Calmer | | International | | | | ALL SALAN | Indiana a | | | 122 |
| and the second se | | March Science | | and in case of the local division of the loc | | | in some signal | 12 22 20 2 | description of the local division of the loc | | 1522 |
| and the second second | Print and and | | | | | | 12-24 | | | | 1255 |
| the state of | | 100508-2010 | Contraction of the | | | | pression in the local division in the | Provide and the | | | 1200 |
| indiana a | Non- | | 10259381 | | | | | 162454.58 | | | 1.2 |
| 00528 | | (Danas Salara | 1100000000 | | | | 112 29240 | 100000000 | | A REPORT OF A | 1000 |
| 10/228 | 1000 | | | | | | (PERSONAL) | | | | 1.550 |
| Section 2 | 100000000 | | Description. | | | | | Standard and | | | 15-30 |
| Contraction of the | | (Secondary)) | | | | | Sector a constant | | | | 115255 |
| | 100000000 | | Party State | | | | 17492200 | Contraction of the local | | | ALC: NO |
| Contraction of the | | | | COMPACTORIAL DESIGNATION OF | | | Participant print | | | | 1222 |
| 1000 | | | | | | | | | | | 1 Conce |
| Contraction of the | | I NEW YORK | State and and | And in case of the local division of the loc | | | Inter Amongo | | | | 11252 |
| | And in case of the local division of the | And and a state of the | | A Department of the | A REAL PROPERTY. | And in case of the local division in which the local division in t | And in case of the local division of the | And a state of the local diversion of | Apple States | And in case of the local division in which the local division is not the local division of the local division is not the local division of the local divis | 1000 |
| and the second second | Statements of | | | | Designation | | | | | | 15-30.00 |
| and so its and | | | | Approximation. | | | | | | | Access |
| and the second | | | | | | | | | | | |
| and strength of the local division of the lo | | | | and the second second | | | | | | | August and |
| and the second second | | | | | | | | | | | |
| California. | | | Contraction of the local division of the loc | | | | | | | | ALC: NO |
| Logical States | | | | | | | | | | | |
| and so its a | | | Addingung the second | | | | AND GROUPS | | | | |
| | | Contraction of the local division of the loc | | And in case of the local division of the | | | | | | | - |
| 1000 | | | | | | | | | | | 1000 |
| 1000 | | | | | | | | | | | Contract |
| | | | | | | | | | | | 10000 |
| Contraction of the local division of the loc | | | | | | | | | | | 100000 |
| and the second second | | | | | | | | | | | 1000 |
| Inclusion in | | | | | | | | | | | A DESCRIPTION OF |
| ALCONG. | | | | | | | | | | | 10.22 |
| in the local division in which the local division in the local div | | | | ARREST MARKED | | | | | | | and in case |
| and the second se | | | | | | | | | | | 0.0000 |
| and the second se | | | | | | | | | | | 40000 |
| the second s | | | | | | | | | | | 1000 |
| and the second second | | | | | | | | | | | 1000 |
| 1000 | | | | | | | | | | | |
| the second s | | | | | | | | | | | distant on the |
| 1000 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | and the second second |
| 1525.00 | | | | | | | | | | | |
| | | | | | | | | | | | and the second second |
| and the second s | | | | | | | | | | | Contraction of the |
| and in case of | | | | | | | | | | | |
| and the second second | | | | | | | | | | | a feeling |
| and the second second | | | | | | | | | | | 1000 |
| and the second second | | | | | | | | | | | 1000 |
| Course of the | | | | | | | | | | | |
| and the local division in which the | | | | | | | | | | | and the second |
| and the second second | | | | | | | | | | | State of Lot of |
| State of the Owner, which the | | | | | | | | | | | ALC: NO. |
| | | | | | | | | | | | 1000 |
| and the second second | | | | | | | | | | | A COLUMN TWO IS NOT |
| | | | | | | | | | | | |
| | | | | | | | | | | | the second second |
| Transfer of the | | | | | | | | | | | |
| | | | | | | | | | | | and the second second |
| and the second second | | | | | | | | | | | |
| and the second second | | | | | | | | | | | |
| and the second second | | | | | | | | | | | No. of Concession, Name |
| | | | | | | | | | | | |



CONTACT OUR SALES STAFF M-F: 8:00 am - 5:00 pm

Eastern

770-532-0451



WE'RE HERE TO HELP

Request a product sample, color sample or get a quote.

sales@minceymarble.com samples@minceymarble.com





- MAS Certified Green®. Compliant with ANSI/BIFMA X7.1 standard
- 100% designed and manufactured at our location in the U.S.A. using locally sourced raw materials where possible.
- Recommend all silicone and caulking to match surround color.



- All panels are made oversized and must be measured and cut to fit on site.
- Uses include, but are not limited to, Tub & Shower Surrounds.
- Accessory and color options are available at <u>www.minceymarble.com</u>.



Revision: 08/2024