

PRODUCT SPECIFICATIONS

SP-4860: 48 x 60 Center Drain Shower Pan



STANDARD FEATURES

- Solid one-piece cast marble
- Durable gel coat surface
- Pre-leveled-rests on subfloor
- Extremely sanitary
- Will not mold or mildew
- Easy to install
- Maintenance-free
- Manufactured in the U.S.A.
- Recommended: Shower Pan Protective Covers

TECHNICAL SPECIFICATIONS

MODEL	Center Drain
PAN SIZE	48" x 60"
MATERIAL	Cast Marble
FLOOR PATTERN	Traditional
FINISH	Matte, Textured, Non-Slip
BACKWALL	60"
SIDE WALLS	48"
DRAIN LOCATION	Center
CENTER OF DRAIN MEASURES	24" from backwall, 30" from side wall
DIMENSIONS	NOTE: Finished product dimensions may vary +/- 1/8" from drawings
FRONT CURB	Integral - 2 1/4" w front and back, 3" w sides x 2" h all sides
FLANGE	1" on side and backwalls - attached at factory
WEIGHT	~ 250#
STANDARD	Mincey Classic™
SLOPE	Pan is sloped toward the drain at 2%
CSI NUMBER	22 42 23

COLORS

ALMOND	7800
BONE	7670
CREAM	7400

APPLICATIONS

- Hospitality | Multifamily | Senior Living | Student Housing | Military Housing

ITEM NUMBER

- SP-4860-C-SF



CONTACT OUR SALES STAFF

M-F: 8:00 am - 5:00 pm
Eastern

770-532-0451



WE'RE HERE TO HELP

Request a product sample, color sample or get a quote.

sales@minceymarble.com
samples@minceymarble.com


PRODUCT SPECIFICATIONS**SP-4860: 48 x 60 Center Drain Shower Pan**

IVORY	7300
WHITE	2250
LIGHT GRAY	7256
PUTTY	7000

SPECIAL NOTES


- Standards and Ratings:
 - CSA B45.5/IAPMO Z124-2011
 - MAS Certified Green. Compliant with ANSI/BIFMA X7.1 Standard
 - ANSI A137.1 (average rating of 0.65)
 - ANSI/NFSI B101.3 (average rating of 0.66)
- Suggested Drains:
 - Sioux Chief Mfg. model: 825-2P – PVC
 - Oatey part number: 42045 – PVC
 - Oatey part number: 42150 – Brass
- NOTE: Finished product dimensions may vary +/- 1/8" from drawings
- NOTE: Drain is not included with pan

SP-4860-C-SF





Finished product dimensions may vary by +/- 1/8" from drawings.

1" Flange Attached at Factory Back & Sides



Drain Detail:



REV: 11.04.21