

PRODUCT SPECIFICATIONS

TS-CS: 4x15 Chevron Shower Wall Panel System



STANDARD FEATURES

- Chevron pattern
- Solid one-piece groutless panels
- Permanently sealed surface
- Will not mold or mildew
- Oversized - measure, cut and fit on jobsite
- Easy to install
- Easy to maintain
- Manufactured in the U.S.A.

APPLICATIONS

- Tub and Shower Surrounds
- Hospitality | Multifamily | Senior Living | Student Housing | Military Housing

ITEM NUMBER

- TS-CS-4x15Chevron

TECHNICAL SPECIFICATIONS

MODEL 4" x 15" Chevron

PATTERN Chevron

MATERIAL Cast Marble

PANEL WIDTHS 32" Reversible
36" Reversible
48"
62"

HEIGHT 96" max

THICKNESS 1/4"

FINISH Matte

CSI NUMBER 06 61 13

COLORS

ALMOND 7800

BONE 7670

CREAM 7400

IVORY 7300


WHITE 2250

LIGHT GRAY 7256

PUTTY 7000

SPECIAL NOTES

- Material: MINCOR™ - Class A fire rated per ASTM e84: Fire and smoke rated material available.
- MAS Certified Green®. Compliant with ANSI/BIFMA X7.1 standard
- 100% designed and manufactured at our location in the U.S.A. using locally sourced raw materials where possible.



CONTACT OUR SALES STAFF

M-F: 8:00 am - 5:00 pm
Eastern

770-532-0451



WE'RE HERE TO HELP

Request a product sample, color
sample or get a quote.

sales@minceymarble.com
samples@minceymarble.com

PRODUCT SPECIFICATIONS

TS-CS: 4x15 Chevron Shower Wall Panel System





- Recommend all silicone and caulking to match surround color.
- Please Note: The Chevron pattern design makes it impossible to align the angled corner grout lines. For aesthetic purposes, we highly recommend slightly off-setting the corner lines.
- Please refer to the installation instructions for the Chevron panel system or contact our office at 770.532.0451 and ask for installation customer service. You will be provided with specific instructions on measuring and cutting the panels to fit the corners.

- All panels are made oversized and must be measured and cut to fit on site.
- Uses include, but are not limited to, Tub & Shower Surrounds.
- Accessory and color options are available at www.minceymarble.com.


NOTE:

Due to site conditions, walls are never true and plumb. Therefore it is impossible to match the angled grout lines. We strongly recommend exaggerating the off-set grout lines in the corner conditions for design aesthetic purposes. See detail on left.



Please ensure you refer to specific instructions located within the installation instructions provided by your Mincey project manager / contact for cutting panels to fit while considering the corner conditions.



REVERSIBLE



REVERSIBLE



Revision: 3/2023