

PRODUCT SPECIFICATIONS

TS-RS: Herringbone Shower Wall Panel System



STANDARD FEATURES

- 3 x 12 Herringbone pattern with wavy design for authentic tile look
- Includes 6" listello for showers larger than 60"
- Textured grout lines that look and feel real
- Solid one-piece groutless panels
- Permanently sealed surface
- Extremely sanitary
- Will not mold or mildew
- Easy to install
- Easy to maintain
- Manufactured in the U.S.A.

APPLICATIONS

- Tub and Shower Surrounds
- Hospitality | Multifamily | Senior Living | Student Housing | Military Housing

ITEM NUMBER

- TS-RS-Herringbone



TECHNICAL SPECIFICATIONS

MODEL Herringbone

PATTERN 3 x 12 Herringbone

MATERIAL Cast Marble

PANEL WIDTHS 28"
32"
36"
44"
62"

HEIGHT Up to 96"

THICKNESS 1/4"

FINISH Gloss

CSI NUMBER 06 61 13

COLORS

ALMOND 7800

BONE 7670

CREAM 7400

IVORY 7300

WHITE 2250

LIGHT GRAY 7256

PUTTY 7000


SPECIAL NOTES



CONTACT OUR SALES STAFF

M-F: 8:00 am - 5:00 pm
Eastern

770-532-0451



WE'RE HERE TO HELP

Request a product sample, color sample or get a quote.

sales@minceymarble.com
samples@minceymarble.com

PRODUCT SPECIFICATIONS

TS-RS: Herringbone Shower Wall Panel System



- Material: MINCOR™ - Class A fire rated per ASTM e84: Fire and smoke rated material available.
- MAS Certified Green®. Compliant with ANSI/BIFMA X7.1 standard
- 100% designed and manufactured at our location in the U.S.A. using locally sourced raw materials where possible.
- Recommended to use silicone and caulking that matches surround color.
- We recommend using cast marble adhesive for installation.
- Please Note: The Herringbone pattern makes it impossible to align the angled corner grout lines. For aesthetic purposes, we highly recommend slightly off-setting the corner lines.
- Please refer to the installation instructions for the Chevron and Herringbone panel systems.

Specifications:

- All panels are made oversized and must be measured and cut to fit on site.
- Uses include, but are not limited to, Tub & Shower Surrounds.
- Accessory and color options are available at www.minceymarble.com.

Please Note: Due to site conditions, walls are never true and plumb. Therefore, it is impossible to match the angled grout lines. We strongly recommend exaggerating the offset grout lines in the corner conditions for aesthetic purposes.

